

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 - 10mg

Tested for: Codex Research

PASS

COA #: COA-2026-BDHJKS
Lot Number: 2026050910
Accession #: ACC-2026-15638
Labeled Content: 10mg

Analysis Date: 08/29/2026
Appearance: Good
Sample Matrix: Lyophilized
Volume: 3mL
Date Received: 08/11/2026



Scan to verify
authenticity at ils-lab.com
Access Code: 582WMGZT

Method: Purity, Identity & Quantitation (HPLC), Sterility (PCR), Endotoxin (USP <85>)

Identity	Peptide Purity	Fentanyl Free
BPC-157	99.90%	




BPC-157 10mg - 2026050910

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.90%	%	PASS
Net Peptide Content	Report Only	10.6	mg	N/A
Identity (HPLC-RTM)	BPC-157	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



BPC-157 10mg - 2026050910: UV Chromatogram

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	2.159 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products.

Notes & Methodology

- 1. Date Tested: 08/29/2026. Methods: Purity, Identity & Quantitation (HPLC).
- 2. The sample was confirmed to be BPC-157 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- 3. Endotoxin tested per USP <85> kinetic chromogenic method. Acceptance criteria per client specification.
- 4. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- 5. Purity values are capped at 99.9% to reflect instrument limit of detection (LOD). Trace impurities below the detection threshold may be present.
- 6. Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- 7. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
8/29/2026

COA #: COA-2026-BDHJKS
Access Code: 582WMGZT
Verify: portal.ils-lab.com/verify/fCJT58b9CDBoBu7Z
Issued: 8/29/2026